Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	@ad<"20000201" and "725"/\$.ccls. and (forc\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:15
L2	0	@ad<"20000201" and "725"/\$.ccls. and ((power near2 (off or loss or lose or losing)) with (resart\$3 or replay\$3 or beginning) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:18
L3	0	@ad<"20000201" and "725"/\$.ccls. and (((power near2 (off or loss or lose or losing)) with (resart\$3 or replay\$3 or beginning)) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
L4	0	@ad<"20000201" and "725"/\$.ccls. and ((power near2 (off or loss or lose or losing)) same (resart\$3 or replay\$3 or beginning) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
L5	0	@ad<"20000201" and "725"/\$.ccls. and (((power) with (resart\$3 or replay\$3 or beginning)) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:17
L6	3	@ad<"20000201" and "725"/\$.ccls. and (power near2 (off or loss or lose or losing)) and ((resart\$3 or replay\$3 or beginning) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:20
L7	0	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (beginning or start) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:20
L8	4	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22

L9	19	@ad<"20000201" and "725"/32-36. ccls. and (resart\$3 or replay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/03 09:25
L10	0	@ad<"20000201" and "725"/32-36. ccls. and ((resart\$3 or replay\$3) with (start\$3 or beginning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L11	0	@ad<"20000201" and "725"/32-36. ccls. and ((resart\$3 or replay\$3) same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:22
L12	6	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) near3 (beginning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
L13	0	@ad<"20000201" and "725"/\$.ccls. and (((resart\$3 or replay\$3) near3 (beginning)) same (automatic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
L14	16	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) near3 (start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:30
L15	1	@ad<"20000201" and "725"/\$.ccls. and (((resart\$3 or replay\$3) near3 (start\$3)) same (automatic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:28
L16	3	@ad<"20000201" and "725"/\$.ccls. and ((resart\$3 or replay\$3) with (interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:31

						Ţ
L17	0	@ad<"20000201" and "725"/32-36. ccls. and ((resart\$3 or replay\$3) same (interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:31
L18	80	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:32
L19	4	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:33
L20	110	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:33
L21	21	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with (video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:37
L22	3	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:34
L23	2	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3) with play\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:35
L24	41	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (beginning or start\$3)) and (ad or advertis\$5 or commercial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:43

			,	,		
L25	16	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) near3 (restart\$3 or (re adj start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:46
L26	0	@ad<"20000201" and "725"/\$.ccls. and (((interrupt\$3) near3 (restart\$3 or (re adj start\$3))) same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:43
L27	32	@ad<"20000201" and "725"/\$.ccls. and ((interrupt\$3) with (restart\$3 or (re adj start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:55
L28	2	@ad<"20000201" and "725"/\$.ccls. and (interrupt\$3 with (restart\$3 or (re adj start\$3)) with (begin\$4 or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:47
L29	16	27 not 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:48
L30	246	@ad<"20000201" and "725"/86-104.ccls. and ((interrupt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 09:55
L31	26	@ad<"20000201" and "725"/86-104.ccls. and ((interrupt\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:04
L32	0	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with forc\$3 with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:05

	,					
L33	0	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:04
L34	28	@ad<"20000201" and "725"/\$.ccls. and (automatic\$5 with (present\$3 or play\$3 or replay\$3) with (beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:16
L35	1	@ad<"20000201" and "725"/\$.ccls. and ((present\$3 or play\$3 or replay\$3) with (beginning or start\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:17
L36	14	@ad<"20000201" and "725"/\$.ccls. and ((present\$3 or play\$3 or replay\$3) with forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:19
L37	38	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:19
L38	32	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and (replay\$3 or restart\$3 or beginning or start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:20
L39	2	@ad<"20000201" and "725"/32-36. ccls. and ((forc\$3) same (replay\$3 or restart\$3 or beginning or start\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:20
L40	1	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3).ti. and (replay\$3 or restart\$3 or beginning or start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:21

L41	0	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and ((replay\$3 or restart\$3) with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:21
L42	5	@ad<"20000201" and "725"/32-36. ccls. and (forc\$3) and ((replay\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:22
L43	83	@ad<"20000201" and "725"/32-36. ccls. and (interrupt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:22
L44	0	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$4) same restart\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:23
L45	8	@ad<"20000201" and "725"/32-36. ccls. and ((interrupt\$4) same resum\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:24
L46	2	@ad<"20000201" and "725"/32-36. ccls. and (resum\$3 with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:25
L47	1	@ad<"20000201" and "725"/32-36. ccls. and (interrupt\$4 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
L48	48	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/03 10:26

			-	•		
L49	0	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 near3 entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
L50	0	@ad<"20000201" and "725"/32-36. ccls. and (replay\$3 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:26
L51	2	@ad<"20000201" and "725"/32-36. ccls. and (play\$3 with entirety)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:28
L52	1	@ad<"20000201" and "725"/\$.ccls. and ((play\$3 or replay\$3) with entirety with beginning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:29
L53	1	@ad<"20000201" and "725"/\$.ccls. and ((play\$3 or replay\$3) with entirety with start\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 10:30
L54	30	@ad<"20000201" and ((ad or advertisement or commercial) same (interrupt\$3 with (play\$3 or replay\$3 or resum\$3 or restart\$3) with (beginning or start\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:03
L55	3	@ad<"20000201" and 725/32-36. ccls. and ((prevent\$3 or restrict\$3) with (chang\$3 or switch\$3) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 11:04
S1	4	(("6698020") or ("6751800") or ("5734853") or ("4857999")).PN.	USPAT	OR	OFF	2006/05/09 11:37
S2	1072	(725/32-36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/05/08 09:56

				,		
S3	7	S2 and (resum\$3 with (off or power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:02
S4	15	(vod or (video adj on adj demand)) and (resum\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:03
S5	3	S2 and (resum\$3 same (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:02
S6	28	(vod or (video adj on adj demand)) and (resum\$3 same power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:05
S7	8	(vod or (video adj on adj demand)) and (resum\$3 same (turn\$3 adj off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:06
S8	23	(("5093921") or ("5155591") or ("5216515") or ("5233423") or ("5446919") or ("5515098") or ("5532735") or ("55600364") or ("5600573") or ("5659350") or ("5740549") or ("5774170") or ("6002393") or ("4602279") or ("4635109") or ("4864429") or ("5162905") or ("5652615") or ("5805974") or ("6064376") or ("6177931")).PN.	USPAT	OR	OFF	2006/05/09 11:53
S9	4	("5652613" "20020073426").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:10

S10	14	("5223924" "5444499" "6002393" " 6298482" "6401179" "6473129" "65 07950").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 12:10
S11	7	("5223924" "5444499" "6002393" " 6298482" "6401179" "6473129" "65 07950").PN.	USPAT	OR	ON	2006/05/09 14:54
S12	549	(725/32).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 16:41
S13	2	("6028632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 16:41
S14		"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 off) or (turn\$3 near2 off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:45
S15	18	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S16	2	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 down) or (sleep\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S17	1	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 sav\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S18	0	"725"/\$.ccls. and (resum\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51

S19	0	"775"/¢ colo and (rostart with	US-PGPUB;	OR	ON	2006/09/21 16:51
319	Ü	"725"/\$.ccls. and (restart with ((power\$3 near2 outage))) and @ad<"20000201"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S20	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/09/21 16:51
S21	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 outage))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S22	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 sav\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S23	0	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 down) or (sleep\$3))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:51
S24	7	"725"/\$.ccls. and (restart\$3 with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:52
S25	0	"725"/\$.ccls. and (play\$3 with "same" with point with ((power\$3 near2 off) or (turn\$3 near2 off))) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S26	21687	"725"/\$.ccls. (power adj outage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53

S27	132	"725"/\$.ccls. and (power adj outage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S28	64	"725"/\$.ccls. and (power adj outage) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 16:53
S29	5	"725"/86-104.ccls. and (power adj outage) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:17
S30	124	"725"/86-104.ccls. and ((power\$3 or turn\$3) near2 (off or out)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:17
S31	114	"725"/86-104.ccls. and ((power\$3 or turn\$3) near2 (off)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:18
S32	10	"725"/86-104.ccls. and (((power\$3 or turn\$3) near2 (off)) with automatic\$5) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:26
S33	6	"725"/86-104.ccls. and (resum\$3 near3 automatic\$5) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:26
S34	2777	(power with (interrupt\$3) with (resum\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:49

COF	4 == 4	(access with the second second	LIC DODIES	00	011	2007/02/05 15 12
S35	1576	(power with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:49
S36	6	(power with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:50
S37	3	(off with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:52
S38	11	((off or power) with (commercial or ad or advertisement) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:53
S39	13	((off or power) with (video) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:58
S40	13	S39 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 15:53
S41	1	((off or power) with (interrupt\$3) with (resum\$3 or restart\$3)) and @ad<"20000201" and 725/32-36. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:00
S42	3	((off or power) with (resum\$3 or restart\$3)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:01

S43	185	((off or power)) and @ad<"20000201" and 725/32-36. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:01
S44	5	((off or power) with interrupt\$3) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:03
S45	54	((turn\$3 or power\$3) near3 (off or down)) and @ad<"20000201" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:13
S46	94	(interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S47	5	(interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/32-36. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:14
S48	18	(interrupt\$3 with (record\$3 or stor\$3) with (replay\$3 or resum\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:16
S49	14	((interrupt\$3 with (replay\$3 or resum\$3 or restart\$3)) same (power or off)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:19
S50	0	(forc\$3 with (power or off) with (automatic\$5)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20

S51	358	((power or off) with (automatic\$5)) and @ad<"20000201" and "725"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20
S52	8	((power or off) with (replay\$3 or restart\$3 or resum\$3) with (automatic\$5)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 16:20
S53	2027	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:51
S54	983	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:51
S55	13	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (commercial or video or ad or advertisement) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:52
S56	3	(power\$3 with (automatic\$5 or (auto adj matic\$5)) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:55
S57	9	(power\$3 with (time or point or instant) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:57
S58	36	(power\$3 with (time or point or instant) with (commercial or video or ad or advertisement) with (resum\$3 or replay\$3 or restart\$3)) and @ad<"20000201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:57

·			r	r	-	
S59	185	(toshihiro near1 takagi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/14 13:52
S60	185	(toshihiro near1 takagi).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:55
S61	2	(toshihiro near1 takagi).in. and (delimit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:55
S62	66	(toshihiro near1 takagi).in. and predetermin\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:56
S63	5	(toshihiro near1 takagi).in. and (nishida near1 yusuke).in. and (ishihara near1 kazuhide).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/14 13:57

7/3/2007 11:35:03 AM C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\shannon_09775115.wsp Page 15